

Berg Balance Scale

Description:

14-item scale designed to measure balance of the older adult in a clinical setting.

Equipment needed:

Yardstick, 2 standard chairs (one with arm rests, one without), Footstool or step, Stopwatch or wristwatch, 15 ft walkway

Scoring:

A five-point ordinal scale, ranging from 0-4. “0” indicates the lowest level of function and “4” the highest level of function. Score the **LOWEST** performance. Total Score = 56

Interpretation:

- 41-56 = independent**
- 21-40 = walking with assistance**
- 0 –20 = wheelchair bound**

Berg K, Wood-Dauphinee S, Williams JI, Maki, B (1992). Measuring balance in the elderly: validation of an instrument. *Can. J. Pub. Health* July/August supplement 2:S7-11

Cut Off Scores:

- Score of < 45 indicates individuals may be at greater risk of falling (Berg, 1992)
Berg K, Wood-Dauphinee S, Williams JI, Maki, B. (1992). Measuring balance in the elderly: validation of an instrument. *Can. J. Pub. Health* July/August supplement 2:S7-11
- History of falls and BBS < 51, or no history of falls and BBS < 42 is predictive of falls (91% sensitivity, 82% specificity) (Shumway-Cook, 1997)
- Score of < 40 on BBS associated with almost 100% fall risk (Shumway-Cook, 1997)
(n = 44, mean age = 74.6 (5.4) years for non-fallers, 77.6 (7.8) for fallers)
Shumway-Cook, A., Baldwin, M., et al. (1997). Predicting the probability for falls in community-dwelling older adults. *Physical Therapy* 77(8): 812-819
Retrieved 10-5-2014 from Rehab Measures Database. <http://www.rehabmeasures.org/Lists/RehabMeasures/PrintView.aspx?ID=888>

Comments:

Potential ceiling effect with higher level patients. Scale does not include gait items

Minimal Detectable Change:

“A change of **4 points** is needed to be 95% confident that true change has occurred if a patient scores within 45-56 initially, **5 points** if they score within 35-44, **7 points** if they score within 25-34 and, finally, **5 points** if their initial score is within 0-24 on the Berg Balance Scale.”

Donoghue D; Physiotherapy Research and Older People (PROP) group, Stokes EK. (2009). How much change is true change? The minimum detectable change of the Berg Balance Scale in elderly people. *J Rehabil Med.* 41(5):343-6.

Norms:

Table 4. Berg Balance Scale Scores: Means, Standard Deviations, and Confidence Intervals by Age, Gender, and Use of Assistive Device

Age (y)	Group	N	Mean	SD	CI
60-69	Male	1	51.0	—	35.3 – 66.7
	Female	5	54.6	0.5	47.6 – 61.6
	Overall	6	54.0	1.5	52.4 – 55.6
70-79	Male	9	53.9	1.5	48.7 – 59.1
	Female	10	51.6	2.6	46.6 – 56.6
	Overall	19	52.7	2.4	51.5 – 53.8
80-89	Male	10	41.8	12.2	36.8 – 46.8
	Female	24	42.1	8.0	38.9 – 45.3
	No Device	24	46.3	4.2	44.1 – 48.5
	Device	10	31.7	10.0	28.3 – 35.1
	Overall	34	42.0	9.2	38.8 – 45.3
90-101	Male	2	40.0	1.4	28.9 – 51.1
	Female	15	36.9	9.7	32.8 – 40.9
	No Device	7	45	4.2	40.9 – 49.1
	Device	10	31.8	7.6	28.4 – 35.2
	Overall	17	37.2	9.1	32.5 – 41.9

Lusardi, M.M. (2004). Functional Performance in Community Living Older Adults. *Journal of Geriatric Physical Therapy*, 26(3), 14-22.

Berg Balance Scale

Name: _____ Date: _____

Location: _____ Rater: _____

ITEM DESCRIPTION	SCORE (0-4)
1. Sitting to standing	_____
2. Standing unsupported	_____
3. Sitting unsupported	_____
4. Standing to sitting	_____
5. Transfers	_____
6. Standing with eyes closed	_____
7. Standing with feet together	_____
8. Reaching forward with outstretched arm	_____
9. Retrieving object from floor	_____
10. Turning to look behind	_____
11. Turning 360 degrees	_____
12. Placing alternate foot on stool	_____
13. Standing with one foot in front	_____
14. Standing on one foot	_____

Total _____

GENERAL INSTRUCTIONS

Please document each task and/or give instructions as written. When scoring, please record the lowest response category that applies for each item.

In most items, the subject is asked to maintain a given position for a specific time. Progressively more points are deducted if:

- the time or distance requirements are not met
- the subject's performance warrants supervision
- the subject touches an external support or receives assistance from the examiner

Subject should understand that they must maintain their balance while attempting the tasks. The choices of which leg to stand on or how far to reach are left to the subject. Poor judgment will adversely influence the performance and the scoring.

Equipment required for testing is a stopwatch or watch with a second hand, and a ruler or other indicator of 2, 5, and 10 inches. Chairs used during testing should be a reasonable height. Either a step or a stool of average step height may be used for item # 12.

Berg Balance Scale

1. SITTING TO STANDING

INSTRUCTIONS: Please stand up. Try not to use your hand for support.

- 4 able to stand without using hands and stabilize independently
- 3 able to stand independently using hands
- 2 able to stand using hands after several tries
- 1 needs minimal aid to stand or stabilize
- 0 needs moderate or maximal assist to stand

2. STANDING UNSUPPORTED

INSTRUCTIONS: Please stand for two minutes without holding on.

- 4 able to stand safely for 2 minutes
- 3 able to stand 2 minutes with supervision
- 2 able to stand 30 seconds unsupported
- 1 needs several tries to stand 30 seconds unsupported
- 0 unable to stand 30 seconds unsupported

If a subject is able to stand 2 minutes unsupported, score full points for sitting unsupported. Proceed to item #4.

3. SITTING WITH BACK UNSUPPORTED BUT FEET SUPPORTED ON FLOOR OR ON A STOOL

INSTRUCTIONS: Please sit with arms folded for 2 minutes.

- 4 able to sit safely and securely for 2 minutes
- 3 able to sit 2 minutes under supervision
- 2 able to sit 30 seconds
- 1 able to sit 10 seconds
- 0 unable to sit without support 10 seconds

4. STANDING TO SITTING

INSTRUCTIONS: Please sit down.

- 4 sits safely with minimal use of hands
- 3 controls descent by using hands
- 2 uses back of legs against chair to control descent
- 1 sits independently but has uncontrolled descent
- 0 needs assist to sit

5. TRANSFERS

INSTRUCTIONS: Arrange chair(s) for pivot transfer. Ask subject to transfer one way toward a seat with armrests and one way toward a seat without armrests. You may use two chairs (one with and one without armrests) or a bed and a chair.

- 4 able to transfer safely with minor use of hands
- 3 able to transfer safely definite need of hands
- 2 able to transfer with verbal cuing and/or supervision
- 1 needs one person to assist
- 0 needs two people to assist or supervise to be safe

6. STANDING UNSUPPORTED WITH EYES CLOSED

INSTRUCTIONS: Please close your eyes and stand still for 10 seconds.

- 4 able to stand 10 seconds safely
- 3 able to stand 10 seconds with supervision
- 2 able to stand 3 seconds
- 1 unable to keep eyes closed 3 seconds but stays safely
- 0 needs help to keep from falling

7. STANDING UNSUPPORTED WITH FEET TOGETHER

INSTRUCTIONS: Place your feet together and stand without holding on.

- 4 able to place feet together independently and stand 1 minute safely
- 3 able to place feet together independently and stand 1 minute with supervision
- 2 able to place feet together independently but unable to hold for 30 seconds
- 1 needs help to attain position but able to stand 15 seconds feet together
- 0 needs help to attain position and unable to hold for 15 seconds

Berg Balance Scale continued.....

8. REACHING FORWARD WITH OUTSTRETCHED ARM WHILE STANDING

INSTRUCTIONS: Lift arm to 90 degrees. Stretch out your fingers and reach forward as far as you can. (Examiner places a ruler at the end of fingertips when arm is at 90 degrees. Fingers should not touch the ruler while reaching forward. The recorded measure is the distance forward that the fingers reach while the subject is in the most forward lean position. When possible, ask subject to use both arms when reaching to avoid rotation of the trunk.)

- 4 can reach forward confidently 25 cm (10 inches)
- 3 can reach forward 12 cm (5 inches)
- 2 can reach forward 5 cm (2 inches)
- 1 reaches forward but needs supervision
- 0 loses balance while trying/requires external support

9. PICK UP OBJECT FROM THE FLOOR FROM A STANDING POSITION

INSTRUCTIONS: Pick up the shoe/slipper, which is place in front of your feet.

- 4 able to pick up slipper safely and easily
- 3 able to pick up slipper but needs supervision
- 2 unable to pick up but reaches 2-5 cm(1-2 inches) from slipper and keeps balance independently
- 1 unable to pick up and needs supervision while trying
- 0 unable to try/needs assist to keep from losing balance or falling

10. TURNING TO LOOK BEHIND OVER LEFT AND RIGHT SHOULDERS WHILE STANDING

INSTRUCTIONS: Turn to look directly behind you over toward the left shoulder. Repeat to the right. Examiner may pick an object to look at directly behind the subject to encourage a better twist turn.

- 4 looks behind from both sides and weight shifts well
- 3 looks behind one side only other side shows less weight shift
- 2 turns sideways only but maintains balance
- 1 needs supervision when turning
- 0 needs assist to keep from losing balance or falling

11. TURN 360 DEGREES

INSTRUCTIONS: Turn completely around in a full circle. Pause. Then turn a full circle in the other direction.

- 4 able to turn 360 degrees safely in 4 seconds or less
- 3 able to turn 360 degrees safely one side only 4 seconds or less
- 2 able to turn 360 degrees safely but slowly
- 1 needs close supervision or verbal cuing
- 0 needs assistance while turning

12. PLACE ALTERNATE FOOT ON STEP OR STOOL WHILE STANDING UNSUPPORTED

INSTRUCTIONS: Place each foot alternately on the step/stool. Continue until each foot has touch the step/stool four times.

- 4 able to stand independently and safely and complete 8 steps in 20 seconds
- 3 able to stand independently and complete 8 steps in > 20 seconds
- 2 able to complete 4 steps without aid with supervision
- 1 able to complete > 2 steps needs minimal assist
- 0 needs assistance to keep from falling/unable to try

13. STANDING UNSUPPORTED ONE FOOT IN FRONT

INSTRUCTIONS: (DEMONSTRATE TO SUBJECT) Place one foot directly in front of the other. If you feel that you cannot place your foot directly in front, try to step far enough ahead that the heel of your forward foot is ahead of the toes of the other foot. (To score 3 points, the length of the step should exceed the length of the other foot and the width of the stance should approximate the subject's normal stride width.)

- 4 able to place foot tandem independently and hold 30 seconds
- 3 able to place foot ahead independently and hold 30 seconds
- 2 able to take small step independently and hold 30 seconds
- 1 needs help to step but can hold 15 seconds
- 0 loses balance while stepping or standing

14. STANDING ON ONE LEG

INSTRUCTIONS: Stand on one leg as long as you can without holding on.

- 4 able to lift leg independently and hold > 10 seconds
- 3 able to lift leg independently and hold 5-10 seconds
- 2 able to lift leg independently and hold \geq 3 seconds
- 1 tries to lift leg unable to hold 3 seconds but remains standing independently.
- 0 unable to try of needs assist to prevent fall

TOTAL SCORE (Maximum = 56)